



# Cleanguard® Maximum Protection

## Medical Nitrile Examination Gloves



The Cleanguard® Maximum Protection is manufactured in Malaysia and distributed to North America. This 3.5gm glove meets ISO quality and ASTM Chemo/ Viral Barrier standards and holds FDA 510(K) approval. Available in various color.

### Multi-Purpose



**US Standards** ASTM D6319, ASTM F1671 (Viral Barrier)

**FDA Information** FDA 510(K) - K141590, FDA 21 CFR 177

**Quality Standards** ISO 9001:2015, EN ISO 13485:2016, EN ISO 10993

**Certifications**  

<b>Type</b>	Powder-Free, Examination Glove	
<b>Specification</b>	Non-Sterile/Disposable	
<b>Cuff</b>	Beaded	
<b>Weight</b>	3.5gm +/- 0.3gm (0.12 fl oz.)	
<b>Colour</b>	Available in various colors	
<b>Primary Material</b>	Nitrile	
<b>Surface</b>	External: Finger Textured	
<b>Powder Control</b>	<=2mg/glove	
<b>Packaging</b>	100 pcs/box	
<b>Size &amp; Product Code</b>	Small:	CGN-1001
	Medium:	CGN-1002
	Large:	CGN-1003
	Extra-Large:	CGN-1004
<b>Product Name</b>	Cleanguard® Maximum Protection	
<b>Hand Design</b>	Ambidextrous	
<b>Origin of Manufacturer</b>	Malaysia	

Test Method	Characteristics	Requirement	Median
ASTM D6319	Dimensions (mm)	Width (L)	95 ± 10
		Length (L)	Min 230
		Thickness single (mm)	Min 0.05
ASTM D5151	Freedom from holes	Finger	0.10 (4.1mils)
		Palm	0.08 (3.1mils)
ASTM D412	Before accelerated aging	Tensile Strength (MPa)	No leakage
		Ultimate elongation (%)	NA
ASTM D573	After accelerated aging at (70±2°C 166±2 hr)	Tensile Strength (MPa)	Min 14
		Ultimate elongation (%)	Min 500
		Tensile Strength (MPa)	Min 14
	Ultimate elongation (%)	Min 400	400



Visit our Website



WhatsApp a Team Member

CONTACT US TODAY

 203.930.2154  [hello@liloclean.com](mailto:hello@liloclean.com)

